

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"7068383".pn.	USPAT	OR	OFF	2009/04/09 21:43
L2	1	1 and (identifier id number string)	USPAT	OR	OFF	2009/04/09 21:43
L3	0	1 and (color feed\$3 duplex paper)	USPAT	OR	OFF	2009/04/09 22:07
S1	4	"20060119892".pn. or "6694115".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 14:49
S2	2	S1 and (feature or function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:50
S3	308	(different or subset) with (function or feature) with requir\$3 with (different or another) with (password or (access43 adj3 code) or identificat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:58
S4	0	S3.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:58
S5	10	S3.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 14:58
S6	5	((access\$3 adj3 code) or password) adj5 (embed\$4 or coded)) with job with (stream or data or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 15:43
S7	4	(embed\$4 or coded or hid\$5) with ((access\$3 adj3 codes) or passwords) with job with (stream or data or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 15:46

S8	2637	determin\$3 with (allow \$3 or permit\$4 or letting or authori\$6) with (service or feature or function) with ((access\$3 adj3 code) or password or id or identifi\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 15:50
S9	4	(embed\$4 or coded or hid\$5) with ((access\$3 adj3 codes) or passwords) with match \$3 with stor\$4 with ((access\$3 adj3 code) or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 15:53
S10	7	(different or number) adj17 ((access\$3 adj3 codes) or passwords) adj14 (apparatus or device or machine) adj15 (service or feature or function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 15:58
S11	0	((access\$3 adj3 codes) or passwords) adj14 (apparatus or device or machine) adj15 (subset or different) adj18 (service or feature or function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 15:58
S12	84	((access\$3 adj3 codes) or passwords) adj14 (apparatus or device or machine) adj15 (service or feature or function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 16:00
S13	3	((access\$3 adj3 code) or password) with (subset or (sub adj set)) with (service or feature or function) with (apparatus or device or machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 16:59
S14	1117	((access\$3 adj3 code) or password or id or identification) same (subset or (sub adj set)) same (service or feature or function) same (apparatus or device or machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:06

S15	1	S3 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:08
S16	15	S8 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:12
S17	5	S12 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:13
S18	79	job with stream with (code or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:16
S19	6615	((access\$3 adj3 code) or password or identific \$5 or id) adj12 (feature or service or function) adj12 (apparatus or device or machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:18
S20	0	S14 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:18
S21	100	S14 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:18
S22	2	S18 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 17:18
S23	73	((access\$3 adj3 codes) or passwords or ids or identifications) same (subset or (sub adj set)) same (service or feature or function) same (apparatus or device or machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 18:10

S24	2600	((access\$3 adj3 codes) or passwords or ids or identifications) same (number) same (service or feature or function) same (apparatus or device or machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 18:33
S25	36	S8 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 18:38
S26	4591716	(services or functions or features)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 19:18
S27	34	S25 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 19:18
S28	4	"20020073213".pn. or "6993666".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 19:22
S29	2	S24 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 19:22
S30	2	S29 and services	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 19:28
S31	837357	"28" and (job or stream or header or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 21:02
S32	4	"20020073213".pn. or "6993666".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 21:03
S33	1	S32 and (job or stream or header or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 21:03

S34	4	"20060119892".pn. or "6694115".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 21:10
S35	0	S34 and stream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 21:11
S36	2	S34 and (job or stream or header or command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 21:11
S37	2	S34 and (password or code or access\$3 or authent\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 21:58
S38	4	S32 and (password or code or access\$3 or authent\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 22:10
S39	3	S32 and ((password or code or access\$3 or authent\$8) and service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 22:20
S40	7	(access\$3 adj3 (code password id identifica \$4 identif\$4 number charact\$4)) with (imbed \$\$ enclos\$4 embed\$4 coded invis\$5 encrypt \$4) with job with (stream data information command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 14:42
S41	7	(imbed\$\$ enclos\$4 embed\$4 coded invis \$5 encrypt\$4) with (access\$3 adj3 (code password id identifica \$4 identif\$4 number charact\$4)) with job with (stream data information command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:04

S42	45	(imbed\$4 enclos\$4 embed\$4 coded invis\$5 encrypt\$4) with (access\$3 adj3 (code password id identifica\$4 identif\$4 number charact\$4)) with print\$3 with (stream data information command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:05
S43	1120956	(determin\$4 detect\$4) with (allow\$5 service) access\$4 with (code password id identif\$5 identificat\$4 number character\$5 string)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:19
S44	1070282	(perform\$4 execut\$5) with (allow\$5 service) access\$4 with (code password id identif\$5 identificat\$4 number character\$5 string)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:19
S45	1469	access\$4 with (code password id identif\$5 identificat\$4 number character\$5 string) with (feature\$4 service) with (print\$4 job)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:36
S46	0	acceess with (correlat\$4 relat\$4) with (feature characteri\$5 abilit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:41
S47	126	match with access with (memory stor\$4) with (job print\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:41
S48	179	match\$4 with access with (memory stor\$4) with (job print\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:41
S49	0	acceess with (correlat\$4 relat\$4) with (feature characteri\$5 function\$4 abilit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:42
S50	85081	(permit\$4 allow\$5 access\$4) with (correlat\$4 relat\$4) with (feature characteri\$5 function\$4 abilit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:43

S51	214	match\$4 with access\$4 with (memory stor\$4) with (job print\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:44
S52	7473	authori\$4 with access \$4 with (feature characterist\$4 function attribute abilit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:47
S53	2	job with stream with match\$4 with (author \$6 access\$4) with (code id identificat\$5 number string character password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:49
S54	2	print\$4 with stream with match\$4 with (author\$6 access\$4) with (code id identificat \$5 number string character password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:49
S55	67	job with match\$4 with (author\$6 access\$4) with (code id identificat \$5 number string character password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:52
S56	64	S43 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:52
S57	64	S44 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:52
S58	10	S45 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 15:52
S59	2	S42 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 16:21
S60	3	S52 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 16:27

S61	1469	S43 and S44 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 16:28
S62	14	S47 and S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 16:29
S63	2	"6621589".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 16:34
S64	1	S63 and (access\$4 author\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 16:36
S65	117	job with right with setting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 16:38
S66	44	job with machine with owner	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 16:38
S67	2	S65 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 16:38
S68	2	S67 and (feature attribute function characteris\$4 option setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 16:41
S69	2	S68 and (color colour duplex\$4 size copies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 16:44
S70	11	"6952780".pn. "5603060".pn. "6009284".pn. "6189113".pn. "6216113".pn. "6233631".pn. "62822383".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 18:46

S71	15	"6952780".pn. "5603060".pn. "6009284".pn. "6189113".pn. "6216113".pn. "6233631".pn. "62822383".pn. "20060119892".pn. "6993666".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 18:48
S72	15	"6952780".pn. "5603060".pn. "6009284".pn. "6189113".pn. "6216113".pn. "6233631".pn. "62822383".pn. "20060119892".pn. "6993666".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 21:06
S73	1	S72 and (embed\$4 or coded or hid\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 21:06
S74	1	S72 and (embed\$4 coded hid\$5 watermark)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 21:07
S75	21	"6952780".pn. "5603060".pn. "6009284".pn. "6189113".pn. "6621589".pn. "6585888".pn. "6535297".pn. "6216113".pn. "6233631".pn. "62822383".pn. "20060119892".pn. "6993666".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 21:12
S76	2	S75 and (embed\$4 or coded or hid\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 21:12
S77	2	S76 and (function attribute option characteri\$5 feature setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 21:16

S78	1169	job adj5 stream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 21:31
S79	47	job with stream with (embed\$4 coded hid\$5 watermark)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 21:32
S80	0	S75 and S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 21:32
S81	1849	job with (embed\$4 coded hid\$5 watermark)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 21:34
S82	0	S81 and S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 21:34
S83	1559	access\$4 with (code password identif\$6 idstring character number) with (embed \$4 imbed\$4 cod\$4 watermark barcode invisible) with (print\$3 job) with (command data submit\$4 ticket stream)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 09:33
S84	1255	(authoriz\$4 permit\$5) with access\$4 with (subset number some (sub adj set) subsystem (sub adj system) different section select\$4) with (feature setting function characteri\$5 service option) with (device apparatus\$4 printer (image adj3 forming))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 10:00
S85	9125	job with (transmit\$5 communicat\$4) with (device apparatus printer (image adj processing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 10:02

S86	248	(compar\$4 match\$4 correlat\$4) with (access\$6 admit\$5) with (authoriz\$6 permit\$5) with (apparatus device (image adj forming) printer) with (feature option setting characteris\$5 function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 10:10
S87	1694	(embed\$4 imbed\$4 cod\$4 watermark barcode invisible) with (print\$3 job) with (correspond\$4 match\$4) with (command data submit\$4 ticket stream) with (code password id identifi\$6 number string character)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 10:18
S88	19	(authoriz\$4 permit\$5 with access\$4) with (match\$4 correlat\$4) with (subset number some (sub adj set) subsystem (sub adj system) different section select\$4) with (feature setting function characteri\$5 service option) with (job print\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 10:42
S89	1463	(permit\$4 authoriz\$6 access\$4) with (code password id identif\$6) with (feature function option) with (unique distingui\$5 pactical with job)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 10:50
S90	8	S83 and S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 11:02
S91	3	S86 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 11:22
S92	3	S87 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 11:26

S93	14	JOB WITH STREAM\$4 WITH (CODE WATERMARK PASSWORD IDENTIFICAT\$5 ID) WITH (FEATURE FUNCTION OPTION SETTING CHARACTERIS \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 11:49
S94	10600	(PRINT\$3 JOB) WITH (CODE COMMAND INSTRUCTION STREAM \$4) WITH (CODE WATERMARK PASSWORD IDENTIFICAT\$5 ID) WITH (FEATURE FUNCTION OPTION SETTING CHARACTERIS \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:21
S95	86	S89 AND S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:21
S96	2	S84 AND S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:22
S97	36	JOB WITH STREAM\$4 WITH PARSING	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:51
S98	2	S87 AND S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 13:21
S99	2	"7068383.PN" "6877097".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 13:46
S100	2	"7068383.PN" "6877097".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 15:34

S101	2	S100 and (access\$4 allow\$5 permit\$4 authori\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 16:02
S102	0	S101 and (embed\$4 imbed\$4 watermark invisible barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 16:03
S103	2	S101 and (stream\$4 cod\$4 encod\$4 watermark command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 16:05
S104	2	S100 and (function feature option setting character\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 16:12
S105	0	"7068383.PN"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 16:46
S106	2	"7068383.PN." "6877097".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 16:46
S107	4	"7068383".PN. "6877097".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 16:47
S108	3	S107 and (access\$4 allow\$5 permit\$4 authori\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 16:47
S109	1	S107 and (embed\$4 imbed\$4 watermark invisible barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 16:49
S110	3	S107 and (function feature option setting character\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 16:50

S111	4	"6877097".PN. "7068383".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 18:35
S112	3	S111 AND (EMBED\$4 IMBED\$4 ENCOD\$4 COD\$4 WATERMARK INVISIBLE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 18:36
S113	3	S111 and ((job print\$3) with (stream\$4 command data instruction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 18:41
S114	4	S111 and (printer apparatus fax facsimile device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 18:54
S115	0	S111 and (image adj forming)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 18:55

**4/ 9/ 2009 10:40:27 PM**

**C:\ Documents and Settings\ ggarcia\ My Documents\ EAST\ Workspaces\ 10073374.rce.wsp**